

130694.02201
Serial No. 10/560,653

PATENT
Filed: November 20, 2006

In the Drawings:

Please replace the drawings with the attached drawings, which includes Replacement Sheets for Figures 1, 2 and 3.

Remarks

The Office mailed a Notice to File Corrected Application Papers on June 21, 2011 alleging that replacement drawings in compliance with 37 C.F.R. § 1.84 and 37 C.F.R. § 1.21(d) are required. The Office alleged that the previously filed drawings were not acceptable because the Figure number for Figure 2 was duplicated and the label for the second Figure 2 on page 2 of 2 should be changed to correctly label it as Figure 3. Applicants have enclosed herewith Replacement Sheets of the drawings that are in compliance with 37 C.F.R. § 1.84 and 37 C.F.R. § 1.21(d) and for which the Figure numbers are appropriately labeled. Applicants respectfully assert that the amended drawings correct any alleged informalities.

The correction to the drawing is clearly supported by the specification, particularly on page 6, lines 16-17 and page 34 lines, 7-9. One skilled in the art would readily recognize that the figure labeled Figure 3 in the substitute drawings is Figure 3 as described in the specification. No new matter is added.

A copy of the Notice to File Corrected Application Papers, as required, is included with this Response.

Applicants are in receipt of the Notice of Allowance mailed April 27, 2011. Applicants invite the Examiner to contact the undersigned at 610.640.7855 with any concerns.

The Commissioner is hereby authorized to debit any underpayment of fees due or credit any overpayment to Deposit Account No. 50-0436.

Respectfully submitted,

/Mark DeLuca, Reg. No. 33,229/

Mark DeLuca, Reg. No. 33,229

Dated: July 7, 2011

PEPPER HAMILTON LLP
400 Berwyn Park
899 Cassatt Road
Berwyn, PA 19312
(610) 640-7855 (Telephone)
(610) 640-7835 (Facsimile)